

KESSELHAUS

Technical Rider

SOUND SPECS

PA

Front

2 x 6 L'Acoustics dV-DOSC
2 x 2 L'Acoustics SB 28
5 x LA-8 Amp

Rear

2 x 6 L'Acoustics dV-DOSC
3 x LA-8 Amp

Galerie Delay

2 x GAE 4475T
1 x QSC PLX 3402 Amp

FOH

Desc

1 x Soundcraft MH3 48
1 x Soundcraft Vi4/48
(optional for rent only)

FX

1 x Lexicon PCM 91
1 x Lexicon PCM 80
1 x TC M 3000
1 x Yamaha SPX 2000
1 x TC D2

EQ

1 x BSS 966

Compr.

2 x BSS DPR 402 2 Ch
2 x BSS DPR 404 4 Ch

Gates

2 x BSS DPR 504 4 Ch

MONITORING

Desc

1 x Midas Sienna 480 16 Aux

EQs

6 x BSS 966

FX

1 x TC M-one
1 x Yamaha SPX 900

Compr.

1 x Kuhnle 8 comp

Gates

1 x BSS DPR 504

Wedges

14 x L'Acoustics 115XT HiQ

Drumfill

2 x GAE BR 118

Sidefill

2 x 3 L'Acoustics Kiva
2 x 1 L'Acoustics Kilo

Amping

8 x LA-4
1 x LA-8

*max. 8 way Wedges, 2 way Drumfill,
2 way Sidefill, 2 way Cue*

KESSELHAUS

Technical Rider

SOUND SPECS

SPLIT SYSTEM

- 1 x 48 Channel FOH
- 1 x 48 Channel Monitoring
- 1 x 48 Channel Broadcast

- 6 x XTA 8 Channel active
- 6 x Radial 8 Channel passive
- 5 x 12 Channel Sub-Stagebox

DJ

for rent only

- 2 x Technics 1210 MK2
- 2 x Pioneer CDJ 1000
- 1 x Pioneer DJM 600

MICROPHONES

Vocal

- 8 x Shure Beta 58
- 8 x Shure SM 58
- 4 x Sennheiser e935
- 4 x Neumann KMS 105

Instr.

- 2 x Shure Beta 52
- 1 x Audix D 6
- 1 x Sennheiser e902
- 2 x Sennheiser e901
- 8 x Shure Beta 57
- 8 x Shure SM 57
- 3 x Shure Beta 56
- 1 x Audix D 4
- 4 x Audix D 2
- 6 x Sennheiser e 904
- 4 x Shure Beta 98
- 4 x Sennheiser e 906
- 4 x Sennheiser MD 421
- 8 x Neumann KM 184
- 4 x Rode NT 5

DI

- 18 x Radial JDI passive
- 18 x Radial J-48 active

LIGHT SPECS

STAGE RIGG

width 10m, depth 8m

Backtruss

4 x Robe 700 Colorspot
2 x Studiodue CS-4 ACL
6 x 6 Bar PAR 64 1000W

Midtruss

2 x Robe 700 Colorspot
4 x 4 Lite Blinder
2 x Martin Atomic 3000

Fronttruss

5 x Fresnel Arri Studio 1000
4 x Robe 700 Colorwash
6 x ETC Source 4 Profiler

AUDIENCE RIGG

width 10m, depth 8m

Midtruss

1 x Mirrorball 1m
2 x Martin MAC500 Colorspot
4 x 6 Bar PAR 64 1000W
2 x Martin MAC 600 Colorwash

DIMMER

60 Channel

5 x MA Lighting 12 x 2 kW

FOH

1 x MA Lighting GrandMA FS
1 x MA Lighting Lightco 48/6
1 x MA Lighting Scanco

STAGE

2 x Look Hazer
2 x Look Fogger

STAGE SPECS

SYSTEM NIVTEC

70 x 2 x 1 m
15 x 2 x 0,5 m
6 x 1 x 1 m

Stagesize Standard

Width 10 m
Depth 6 m
Height 1,2 m
Clearance 6 m

Please note: modifications are not costless.

RISER

available 2 x 1 m
2 x 2 m
2 x 3 m
2 x 4 m ...

*as Rollriser height 0,2 m or 0,4 m
with legs height 0,2 m or 0,4 - 0,6 m*

VIDEO SPECS

for rent only

Beamer

1 x EIKI X 80 6000 ANSI Lumen

Screen

1 x Stumpfl 4 x 3 m Aluframe